

Using Neutrons to Screen Aviation Cargo for Explosives

Presented to
ADSA10
Boston, MA
on May 6, 2014

Harry E. Martz, Jr., Ph.D.

 Lawrence Livermore
National Laboratory

LLNL-PRES-654741

This work was performed under the auspices of the U.S. Department of Energy by Lawrence Livermore National Laboratory under Contract DE-AC52-07NA27344. Lawrence Livermore National Security, LLC



So What Who Cares

- Several neutron-based explosives screening systems (many of which I do not have time to discuss) have been investigated
- They have major technical limitations for aviation cargo inspection in either
 - Depth of penetration in large cargo and/or
 - Ability to detect a particular explosive class
 - High false alarm rate and low throughput
- Furthermore most have practical limitations including
 - Large size and weight for accelerator/large radiation shielding
 - Regulatory and safety issues associated with neutron-based technologies
 - Not accepted by public and workers
- Given this they have not been able to compete with X-ray-based technologies

P. Griffin, et al., Assessment of the Practicality of Pulsed Fast Neutron Analysis for Aviation Security, NAP, 2002.



Agenda

- Summary
- Background Luggage vs Cargo
- Neutron physics and operation of
 - TNA
 - FNA
 - PFNA
- Summary


Luggage vs. Cargo

- Many of the VGs show the inspection volume for luggage
- However, the results and summary are for LD-3 and larger cargo sizes for Aviation and Eurotunnel
- Neutron interrogation methods have been applied to
 - Inspection of luggage and/or cargo for
 - Explosives and other contraband for
 - Over 30 years
 - 10's of Millions of Dollars have been spent
- But still not for prime time



Thermal Neutron Analysis—TNA Physics

Figure A-1—Sketch of Apparatus for Thermal Neutron Analysis of Nitrogen
Bath of thermal neutrons



SOURCE: Lee Grodzins, 1990.

TNA measures nitrogen via thermal neutron capture gamma rays

Summary of SAIC TNA machine airport deployments

- Under a contract awarded to SAIC in 1985, the FAA purchased six TNA machines to detect plastic explosives
- The six TNA machines needed to be combined with X-ray unit and were called XENIS—X-ray Enhanced Neutron Interrogation System
- Four were installed at
 - JFK
 - Dulles
 - Miami
 - Gatwick

Report to the President by the President's Commission on Aviation Security and Terrorism May 15, 1990*

- Commission began November 1989
- Charges
 - Evaluate existing aviation security systems
 - Options for handling terrorists threats
 - Treatment of families of victims of terrorists acts
 - Pan Am 103 tragedy (Dec 1988) was a point of reference
 - Findings with respect to the deployment of Thermal Neutron Analysis (TNA)
- Report completed May 1990

* http://books.google.com/books?id=PU2gBTwFQ4C&pg=PA65&dq=Why+did+TNA+fail+to+detect+explosives+at+JFK&source=bl&ots=3SBh9eqMi&sig=Yg13YThvRbXAZL9wud_XE4xwb5o&hl=en&sa=X&ei=cfdSUq-nl8mCygH4qYHgCw&ved=0CCsQ6AEwAA#v=onepage&q=Why%20did%20TNA%20fail%20to%20detect%20explosives%20at%20JFK&f=false



Commission's TNA machine findings and recommendations

■ Findings

- Under a contract awarded to SAIC in 1985, the FAA purchased six TNA machines to detect plastic explosives
- These machines by design and performance detected only **amounts far greater than the weight used by terrorists**
 - For example the bomb that destroyed Pan Am 103 is believed to have weighed half or less than the amount than the TNA machine would reliably detect
- They were not fully automated
- The TNA/XENIS machine is **massive**, weighing close to 14 tons and a footprint for the TNA alone is about 12 m², and an additional equivalent area would be needed to add an x-ray system and baggage diverter* NAP: **TNA weighted 28,000 lbs., required 41-m² and cost \$1.4M & \$0.7M operational cost/yr.**
- For threat masses of concern the **false alarm rates are too high**

■ Recommendation


- The program to require US airlines to purchase and deploy ~150 existing TNA machines should be **deferred**.
- The FAA should **create an R&D program** to detect small amounts of plastic explosives.

Given the large false alarms for TNA machines other neutron based methods were explored

* <http://www.skyjack.co.il/pdf/Thermal-Neutron-Analysis.pdf>

Oxygen vs. Nitrogen signatures


38,000 Pulsed Fast Neutron Transmission Spectroscopy (PFNTS) measurements from actual airline suitcases, with and without explosives



From Chmelik, et al., Analysis of Blind Tests for Explosives in Luggage Through Fast-Neutron Transmission Spectroscopy, 1997.


Hydrogen vs. Carbon signatures

38,000 Pulsed Fast Neutron Transmission Spectroscopy (PFNTS) measurements from actual airline suitcases, with and without explosives



From Chmelik, et al., Analysis of Blind Tests for Explosives in Luggage Through Fast-Neutron Transmission Spectroscopy, 1997.

Fast Neutron Analysis–FNA Physics



FNA measures gamma rays via fast neutrons inelastically scattered off of C, O and N


Summary of Fast Neutron Analysis— FNA

- FNA can measure more than just N so it should improve detection while reducing false alarms
- FNA is physically similar to TNA but there are significant differences in the neutron source, shielding requirements and gamma-ray detector resulting in an increase in cost size and weight
 - A fast neutron source requires an accelerator, e.g., ${}^2\text{H}(d,n){}^4\text{He}$
 - Requires more shielding
- The fast neutrons create a lot of background in the gamma detectors
- 2D images were generated by collimation of the neutron beam
- 2D image is not good enough to sort threats from non-threats just using the atomic ratio features



Pulsed Fast Neutron Analysis-PFNA

Figure A-3-Sketch of Apparatus for Pulsed Neutron Beam Analysis



SOURCE: I. seGrodzins, 1990.

Schematic of PFNA for cargo inspection

D.R. Brown, T. Gozani / Nucl. Instr. and Meth. in Phys. Res. B 99 (1995) 753–756




Fig. 1. Schematic view of the cargo inspection system based on PFNA.

Summary of Pulsed Fast Neutron Analysis—PFNA

- PFNA concept is similar to the FNA concept except that a focused collimated, pulsed beam of neutrons is used
- A lower energy neutron beam accelerator, $^2\text{H}(d,n)^3\text{He}$, is used since it
 - generates less background in gamma detectors
- The collimated neutron beam provides two-dimensional position
- Timing and image reconstruction provides the third dimension
- The 3D image provides an improvement over the FNA data but with
 - large isotropic voxels 5 cm x 5 cm x 5 cm
- A prototype system to look at LD-3 containers was not very promising it had PD and PFA issues*:
 - Can't see zone
 - Cannot detect a particular class of explosives

* C. Bell and D. Green, Pulsed Fast Neutron Analysis (PFNA) October 2000 Test Overview, viewgraphs presented to NAS PFNA study Panel, Jan, 2001.

- An SAIC system built to screen cargos for large threat masses in cargo



Summary of PFNA Eurotunnel Testing

- British and French tested PFNA
- PFNA had several potential benefits
 - Detection of quantities of explosives that might be a threat to the tunnel
 - Verification of cargo contents wrt
 - Tariffs
 - Compliance with international agreements
 - Finding unauthorized hazardous commercial materials
 - Detection of large quantities of drugs illegally transported



PFNA Eurotunnel testing was judged as a success, but*

- Was not deployed due to
 - Issues of cost both operational and initial capital investment
 - Cargo throughput
 - Value of detection
- However, they preserved the operational compatibility with future implementation if circumstances changed

* P. Griffin, et al., Assessment of the Practicality of Pulsed Fast Neutron Analysis for Aviation Security, NAP, 2002.



So What Who Cares

- Several neutron-based explosives screening systems (many of which I do not have time to discuss) have been investigated
- They have major technical limitations for aviation cargo inspection in either
 - Depth of penetration in large cargo and/or
 - Ability to detect a particular explosive class
 - High false alarm rate and low throughput
- Furthermore most have practical limitations including
 - Large size and weight for accelerator/large radiation shielding
 - Regulatory and safety issues associated with neutron-based technologies
 - Not accepted by public and workers
- Given this they have not been able to compete with X-ray-based technologies

P. Griffin, et al., Assessment of the Practicality of Pulsed Fast Neutron Analysis for Aviation Security, NAP, 2002.

